

[Examrace: Downloaded from examrace.com \[https://www.examrace.com/\]](https://www.examrace.com/)

[For solved question bank visit doorsteptutor.com](https://www.doorsteptutor.com)

[\[https://www.doorsteptutor.com\]](https://www.doorsteptutor.com) and for free video lectures visit [Examrace](https://youtube.com/c/Examrace/)
[YouTube Channel \[https://youtube.com/c/Examrace/\]](https://youtube.com/c/Examrace/)

NEET PG Memory Based Sample Questions Set 38 for 2023

Get top class preparation for NEET right from your home: [get questions, notes, tests, video lectures and more \[https://www.doorsteptutor.com/Exams/NEET/\]](https://www.doorsteptutor.com/Exams/NEET/) - for all subjects of NEET.

1. All of the following are complications of pleural biopsy except?

- a. seeding of tumor
- b. air embolism
- c. pulmonary embolism
- d. transient fever

Answer: c

2. Fogarty's catheter is used for?

- a. arterial embolectomy
- b. venous embolectomy
- c. arterial endarterectomy
- d. none

3. Circumcision is contraindicated in?

- a. hypospadias
- b. balanitis
- c. balanoposthitis
- d. none

Answer: a

4. Which of the following is false about carcinoma of cervix?

- a. vaginal delivery is contraindicated in carcinoma in situ of cervix
- b. cone biopsy is not done in pregnancy
- c. follow up of the case after delivery

Answer: a

5. Most common site of lodgement of venous emboli?

- a. heart
- b. lungs
- c. intestine

6. Cysts in PAN are not seen in?

- a. kidney
- b. lungs
- c. spleen
- d. liver

Answer: b

7: Hepatitis C virus is associated with all except?

- a. cryoglobulinemia
- b. lichen planus
- c. PAN

8. Which of the following is the most common contraceptive method in nulliparous women?

- a. IUCD
- b. minipill
- c. combined OCP

9. Which of the following used as an emergency contraceptive can be used to maintain on going contraception?

- a. IUCD
- b. yuzpe regimen
- c. RU 486
- d. morning after pill

10. All of the following are used in prophylaxis for DEEP VEIN THROMBOSIS except?

- a. enoxaparin
- b. aspirin
- c. intermittent pneumatic compression
- d. oxygen chamber

11. NADPH is used for?

- a. lipid synthesis and glutathione reaction .

Answer: a

12. Sphincter contraction is most commonly due to?

- a. anal fissure
- b. anal fistula
- c. prolapsed haemorrhoids

13. Which of the following is the most common cause of rectal bleeding in children?

14. A substance called gustin which helps in taste has which of the following?

- a. copper
- b. cobalt
- c. magnesium
- d. zinc

15. Fish is a good source of all except?

- a. iodine
- b. iron
- c. vitamin A

16. In hospitalised patients all of the following causes hypoglycemia except?

- a. addison's disease
- b. insulin
- c. sulfonyl ureas
- d. renal failure

17. Hooked vertebrae are seen in?

- a. hurler's syndrome
- b. marquo's disease
- c. marfan's syndrome

Answer: b

18. All of the following causes increased erythropoietin production except?

- a. lipoma
- b. renal tumors
- c. hepatoma
- d. fibromyoma

Answer: a

19. Submucosal glands are seen in all except?

- a. trachea
- b. oesophagus
- c. stomach
- d. duodenum

20. Smoking is associated with all except?

- a. respiratory bronchiolitis
- b. langerhans cell histiocytosis
- c. interstitial lung disease

Answer: b

21. After complete atropinization of man , acetyl choline is given to a man , which of the following will u observe?

- a. first degree heart block
- b. urination and defecation
- c. death due to arrhythmias

22. Which of the following is false regarding drug of choice?

- a. strongyloides - ivermectin
- b. diphylobothrium latum - praziquantel
- c. enterobius - pyrantel pamoate

23. In which of the following infection do you see encysted , hyalinized capsule in the skeletal muscle?

- a. trichinella .

Answer: a

24. Which of the following is used in the rapid identification of candida?

- a. germ tube method
- b. culture in solid
- c. culture in liquid
- d. growing in an animal

Answer: a

25. All of the following are true about barytosis except?

- a. it involves the lower lobes
- b. it is due to ingestion of barium sulfate
- c. symptoms persist even after stoppage of exposure