

[Examrace: Downloaded from examrace.com \[https://www.examrace.com/\]](https://www.examrace.com/)

[For solved question bank visit doorsteptutor.com](https://www.doorsteptutor.com)
[\[https://www.doorsteptutor.com\]](https://www.doorsteptutor.com) and for free video lectures visit [Examrace](https://youtube.com/c/Examrace/)
[YouTube Channel \[https://youtube.com/c/Examrace/\]](https://youtube.com/c/Examrace/)

NEET PG Memory Based Sample Questions Set 40 for 2023

Get top class preparation for NEET right from your home: [get questions, notes, tests, video lectures and more \[https://www.doorsteptutor.com/Exams/NEET/\]](https://www.doorsteptutor.com/Exams/NEET/) - for all subjects of NEET.

1. Nystagmus can be induced by all except?
 - a. caloric test
 - b. optokinetic test
 - c. patch test
 2. What is the treatment of choice for absolute glaucoma?
 - a. trabeculectomy
 - b. iridotomy
 3. What is the treatment of choice for primary peritonitis?
 - a. laparotomy with peritoneal toilet
 - b. laparoscopy with peritoneal lavage
 - c. conservative management
 4. Disproportionate growth retardation is seen in all except?
 - a. cretinism
 - b. achondroplasia
 - c. hypopituitarism
 - d. rickets
- Answer: b
5. Acidity of urine is mostly due to?
 - a. amino acids
 - b. uric acid
 6. Glomerular endotheliosis in pregnant women is seen in?
 - a. pre-eclampsia
 - b. diabetes
 7. All of the physiological changes occur in pregnancy except?
 - a. increased cardiac output
 - b. increased heart rate

- c. increased stroke volume
- d. increased peripheral resistance

Answer: d

8. All are true about pulsus parvus except?

- a. seen in aortic stenosis
- b. decreased left ventricular output
- c. decreased peripheral resistance
- d. decreased pulse pressure

Answer: c

9. Which of the following test is most sensitive for diabetic nephropathy?

- a. creatinine clearance
- b. glucose tolerance test
- c. serum creatinine
- d. urine albumin

10. Increase in radius of resistance vessels causes?

- a. increase in capillary blood flow
- b. increase in peripheral resistance

11. Blood for HLA typing is taken from?

- a. newborn
- b. adolescent
- c. adult women
- d. adult man

12. All of the following are major criteria for toxic shock syndrome except?

- a. mucosal membranes involved
- b. erythematous lesions all over body
- c. temperature greater than 38.8 degree celsius

13. All of the following are true about aberrant renal vessels except?

14. The most common cause of ulcers in diabetic foot?

- a. neuropathic
- b. ischemia
- c. high glucose content

Answer: a

15. All of the following are associated with increased cytokines except?

- a. IFN gamma

- b. IL-5
- c. TNF-BETA
- d. VEGF

16. All of the following are true about dengue haemorrhagic fever except?

- a. leucopenia
- b. relative leucocytosis
- c. thrombocytopenia
- d. decreased hematocrit

17. All are true about meniere's disease except?

- a. deafness , vertigo , tinnitus and vomiting are seen
- b. tympanic membrane normal
- c. inner endolymphatic system normal

Answer: c

18. Most common cause of hyperparathyroidism?

- a. parathyroid adenoma
- b. parathyroid hyperplasia
- c. parathyroid carcinoma

Answer: a

19. A patient presents with seizures , adenoma sebaceum and mental retardation . what is the diagnosis?

- a. neurofibromatosis
- b. tuberous sclerosis

Answer: b

20. Amiodarone toxicity causes all except?

- a. disorders of thyroid function
- b. hypertension
- c. corneal deposits
- d. pulmonary fibrosis

21. Which of the following is wrongly matched?

- a. hepatitis B - hepatocellular carcinoma
- b. EBV - nasopharyngeal carcinoma
- c. HSV 1 - carcinoma cervix
- d. HHV 8 - kaposi sarcoma

Answer: c

22. All of the following are true about minimum alveolar concentration regarding isoflurane except?

- a. decreases with age
- b. decreases in pregnancy
- c. decreases due to acute alcoholism
- d. males have high MAC

Answer: d

23. All of the following are true about postoperative vomiting except?

- a. more in males than females
- b. more in elderly people
- c. more due to thiopentone than propofol

24. Hydrops fetalis is seen in:

- a. parvo virus
- b. beta thalassemia

25. Constriction band is seen in all except?

- a. premature application of forceps
- b. oxytocics
- c. intrauterine manipulations
- d. obstructed labour