

[Examrace: Downloaded from examrace.com \[https://www.examrace.com/\]](https://www.examrace.com/)

[For solved question bank visit doorsteptutor.com](https://www.doorsteptutor.com)
[\[https://www.doorsteptutor.com\]](https://www.doorsteptutor.com) and for free video lectures visit [Examrace](https://youtube.com/c/Examrace/)
[YouTube Channel \[https://youtube.com/c/Examrace/\]](https://youtube.com/c/Examrace/)

AIPPG Paper 2002 (Part 25 of 25)

Get unlimited access to the best preparation resource for NEET : [get questions, notes, tests, video lectures and more \[https://www.doorsteptutor.com/Exams/NEET/\]](https://www.doorsteptutor.com/Exams/NEET/) - for all subjects of NEET.

1. Glucose intolerance is caused by
 - a. Thiazides
 - b. Enalapril
 - c. Propranolol
 - d. Furosemide
 - e. AT1 antagonist
2. True about oxytocin is/are
 - a. It is secreted by anterior pituitary
 - b. It acts on the myoepithelial cells of breast
 - c. It causes contraction of uterus in labor
 - d. It causes retention of water
 - e. Also has sympathetic activity
3. True about HCG is/are
 - a. Glycoprotein
 - b. Has 2 subunits
 - c. Increased to maximum level in 3rd trimester
 - d. Secreted by trophoblastic tissue
 - e. The alpha subunit is specific
4. The antigen-binding region on the antibody is/are
 - a. Hinge region
 - b. Constant region
 - c. Variable region
 - d. Hyper variable region
 - e. Idiotypic region
5. Prominent A waves are seen in all of the following except
 - a. Mitral stenosis
 - b. Tricuspid stenosis

- c. Pulmonary hypertension
- d. Right atrial myxoma
- e. ASD