

Examrace

Karnataka PG Solved Paper 2004 (Part 7 of 20)

Doorsteptutor material for NEET is prepared by world's top subject experts: [get questions, notes, tests, video lectures and more](#)- for all subjects of NEET.

1. Tom Smith's arthritis of hip joint is due to:

- a. CDH
- b. Post polio
- c. Pyogenic infection
- d. Cerebral palsy

Answer: c

2. Osteosarcoma arises from:

- a. Epiphysis
- b. Diaphysis
- c. Metaphysis
- d. Bone marrow

Answer: c

3. Reversal of albumin globulin ratio is seen in:

- a. Osteochondroma
- b. Multiple myeloma
- c. Osteoclastoma
- d. Osteoid osteoma

Answer: b

4. Treatment of bone cyst

- a. Amputation
- b. Bone grafting
- c. Chemotherapy
- d. Disarticulation

Answer: b

5. Osteochondroma is also known:

- a. Exostosis
- b. Giant cell tumour
- c. Ivory osteoma
- d. Osteoblastoma

Answer: a

6. Oxyhaemoglobin dissociation curve is shifted to the right in the following condition:

- a. Acidosis
- b. Increase 2 – 3 DPG level
- c. Hyperthermia
- d. All the above

Answer: d

7. Following are the effects of thiopentose sodium anaesthesia except:

- a. Respiratory depression
- b. Reduced cardiac output
- c. Good uterine relaxation
- d. Low intraocular tension

Answer: c

8. Contra indication for nasotracheal intubation:

- a. Basal skull fractures
- b. Neonates
- c. Difficult intubation
- d. Prolong intubation

Answer: a

9. Blood collected from acid citrate dextrose can be stored for:

- a. 28 days
- b. 21 days
- c. 14 days
- d. 7 days

Answer: b

10. Advantages of regional analgesia blockade are all these except:

- a. A reduced need for opioids
- b. Early resumption for normal activity and ambulation
- c. A quick awakening from general anaesthesia
- d. Increase of the stress response

Answer: d

Developed by: [Mindsprite Solutions](#)