

Examrace

MAHE PG Solved Paper 2003 (Part 4 of 19)

Glide to success with Doorsteptutor material for NEET : [get questions, notes, tests, video lectures and more](#)- for all subjects of NEET.

1. Ventral hernia includes
 - a. Obturator hernia
 - b. Incisinal hernia
 - c. Femoral hernia
 - d. Indirect inguinal hernia

Answer: b

2. Strangulated hernia is commonly seen in which of the following
 - a. Direct inguinal hernia
 - b. Indirect inguinal hernia
 - c. Femoral hernia
 - d. Obturator hernia

Answer: c

3. In a child who presented with twitching movements of the face and the upper extremities, most probably has lesion involving
 - a. Precentral gyrus
 - b. Post central gyrus
 - c. Caudate nucleus
 - d. Frontal lobe

Answer: c

4. The root values of the pudendal nerve is
 - a. S1,2, 3
 - b. S4
 - c. L1,2, 3
 - d. L2,3, 4

Answer: a

5. In a patient with thyroid surgery the block to be given is at the
- Stellate ganglion
 - Upper cervical ganglion
 - Dorsal sympathetic ganglia
 - Any of the above

Answer: b

6. The stellate ganglion block would cause which of the following
- Myosis
 - Flushing of skin
 - Ptosis
 - All of the above

Answer: d

7. The muscle arising from the scaphoid fossa is
- Tensor tympani
 - Levator palatini
 - Stylopharyngeus
 - Tensor palatini

Answer: n/a

8. EB virus belongs to which virus
- Retro virus
 - Herpes virus
 - RNA virus
 - Pox virus

Answer: b

9. Butchers thigh would refer to
- Lipodystrophy of subcutaneous tissue
 - Section of femoral vessels during boning
 - Rupture of vastus lateralis

d. Fracture of femur

Answer: b

10. The abnormal deposition of calcium pyro phosphate dihydrate crystals (CPPD) would cause all of the following except

- a. Pseudogout
- b. Pseudoosteoarthritis
- c. Pseudorheumatoid arthritis
- d. Pseudoankylosing spondylitis

Answer: d

Developed by: [Mindsprite Solutions](#)